CONTENTS

JULY

EDITORIAL

1 Endocrine and metabolic disorders in anaesthesia and intensive care
P. M. Hopkins and J. M. Hunter

ENDOCRINE AND METABOLIC DISORDERS IN ANAESTHESIA AND INTENSIVE CARE

3 Pituitary disease and anaesthesia
M. Smith and N. P. Hirsch

15 Thyroid disease
P. A. Farling

29 Parathyroid disease and calcium metabolism
R. Mihai and J. R. Farndon

44 Phaeochromocytoma – recent progress in its management
C. Prys-Roberts

58 Hormones and the gut
A. Holdcroft

69 Insulin: understanding its action in health and disease
P. Sonksen and J. Sonksen

80 Anaesthetic management of patients with diabetes mellitus
G. R. McAnulty, H. J. Robertshaw and G. M. Hall

91 Obesity in anaesthesia and intensive care
J. P. Adams and P. G. Murphy

109 The stress response to trauma and surgery
J. P. Desborough

118 Malignant hyperthermia: advances in clinical management and diagnosis
P. M. Hopkins

129 Neuroleptic malignant syndrome
P. Adnet, P. Lestavel and R. Krivosic-Horber

136 Metabolic consequences of drug misuse
J. A. Henry

143 Porphyrias
M. F. M. James and R. J. Hift

ABSTRACTS

154P Proceedings of the Anaesthetic Research Society, Liverpool Meeting, March 23–24, 2000

CORRESPONDENCE

166 Placement of double lumen tubes–time to shed light on an old problem

167 The Haldane effect–an explanation for increasing gastric mucosal P_{CO_2} gradients?

169 Surgery for fractured femur and elective ICU admission at 113 yr of age

171 Increasing isoflurane concentration may cause paradoxical increases in the EEG bispectral index in surgical patients

172 Flexiblade and oral trauma

174 Ropivacaine 0.75% for epidural anaesthesia in a patient with severe Takayasu's disease

175 Midazolam premedication and thiopental induction of anaesthesia

176 Patient-controlled analgesia in labour

177 Difference in pre-intervention and post-intervention thromboelastography times

178 Separating the treatment effect of atropine from its prophylactic benefits during inhalational induction of anaesthesia in young children

178 Side-effects of alcoholic iodine solution (10%)

179 Paediatric Intensive Care

BOOK REVIEWS

180 *Nunn's Applied Respiratory Physiology*

180 *Conscious Sedation. International Anesthesiology Clinics*

181 *Anaesthesia for Obstetrics and Gynaecology*

181 *The Association of Anaesthetists of Great Britain and Ireland 1932–1992 and the Development of the Specialty of Anaesthesia. Sixty Years of Progress in the Context of Scientific, Political and Social Change*

182 *Perioperative Medicine: Managing Surgical Patients with Medical Problems*

AUGUST

EDITORIALS

185 I: Metabolic support of critically ill patients: parenteral nutrition to immunonutrition
B. C. Kennedy and G. M. Hall

188 II: Safe placement of central venous catheters. Where should the tip of the catheter lie?
S. J. Fletcher and A. R. Bodenham

CLINICAL INVESTIGATIONS

192 The carina as a landmark in central venous catheter placement
M. Schuster, H. Nave, S. Piepenbrock, R. Pabst and B. Panning

195 Serum mitochondrial aspartate transaminase activity after isoflurane or halothane anaesthesia
J. R. Darling, P. C. Sharpe, E. K. Stiby, J. A. McAteer, G. P. R. Archbold and K. R. Milligan

199 Low-dose remifentanil increases regional cerebral blood flow and regional cerebral blood volume, but decreases regional mean transit time and regional cerebrovascular resistance in volunteers
I. H. Lorenz, C. Kolbitsch, M. Schocke, C. Kremser, F. Zschiegner, M. Hinteregger, S. Felber, C. Hörmann and A. Benzer

205 Enoximone pharmacokinetics in infants
P. D. Booker, S. Gibbons, J. I. M. Stewart, A. Selby, E. Wilson-Smith and M. Pozzi

211 Influence of tramadol on the ventilatory response to hypoxia in humans
P. M. Warren, J. H. Taylor, K. E. Nicholson, P. K. Wraith and G. B. Drummond

217 Use of intravenous patient-controlled analgesia for documentation of synergy between tramadol and metamizol
A. Montes, W. Warner and M. M. Puig

224 Comparison of intravenous and oral ketoprofen for postoperative pain after adenoidectomy in children
H. Tuomilehto, H. Kokki and K. Tuovinen

228 Effect of peripheral morphine in a human model of acute inflammatory pain
J. Lillesø, N. A. Hammer, J. L. Pedersen and H. Kehlet

233 Efficacy and respiratory effects of low-dose spinal morphine for postoperative analgesia following knee arthroplasty
P. J. Cole, D. A. Craske and R. G. Wheatley

238 How much work is required to puncture dura with Tuohy needles?
M. C. Lewis, J. P. Lafferty, M. S. Sacks, V. S. Pallares and M. TerRiet

242 Altered globe dimensions of axial myopia as risk factors for penetrating ocular injury during peribulbar anaesthesia
S. B. Vohra and P. A. Good

246 Onset/offset characteristics and intubating conditions of rapacuronium: a comparison with rocuronium
T. J. Zhou, P. F. White, J. W. Chiu, G. P. Joshi, K. K. Dullye, L. L. Duffy and W. K. Tongier

251 Comparison of succinylcholine with two doses of rocuronium using a new method of monitoring neuromuscular block at the laryngeal muscles by surface laryngeal electromyography
T. M. Hemmerling, J. Schmidt, T. Wolf, P. Klein and K. Jacobi

256 Cricoid pressure applied after placement of laryngeal mask impedes subsequent fibreoptic tracheal intubation through mask
T. Asai, K. Murao and K. Shingu

262 Mucosal pressure and oropharyngeal leak pressure with the ProSeal versus the laryngeal mask airway in anaesthetized, paralysed patients
C. Keller and J. Brimacombe

267 Korean hand acupressure reduces postoperative vomiting in children after strabismus surgery
A. Schlager, M. Boehler and F. Pühringer

271 Building a large-scale perioperative anaesthesia outcome-tracking database: methodology, implementation and experiences from one provider within the German quality project
U. Bothner, M. Georgieff and B. Schwilk

LABORATORY INVESTIGATION

281 Effects of protein binding on placental transfer of propofol in human dually perfused cotyledon *in vitro*
Y. L. He, S. Tsujimoto, M. Tanimoto, R. Okutani, K. Murakawa and C. Tashiro

REVIEW ARTICLE

287 Serum S100 protein as a marker of cerebral damage during cardiac surgery
M. Shaaban Ali, M. Harmer and R. Vaughan

SHORT COMMUNICATIONS

299 Safety of patient-maintained propofol sedation using a target-controlled system in healthy volunteers
J. A. C. Murdoch, S. A. Grant and G. N. C. Kenny

302 Rapacuronium recovery characteristics and infusion requirements during inhalation *versus* propofol-based anaesthesia
W. Fu, K. W. Klein, P. F. White, J. W. Chiu, H. J. M. Lemmens, D. G. Whalley, D. R. Drover and C. P. Greenberg

305 Which is most pungent: isoflurane, sevoflurane or desflurane?
M. F. TerRiet, G. J. A. DeSouza, J. S. Jacobs, D. Young, M. C. Lewis, C. Herrington and M. I. Gold

308 Water vapour in a closed anaesthesia circuit reduces degradation/adsorption of halothane by dried soda lime
A. Schindler, M. Vorweg, T. W. L. Scheeren and M. Doehn

311 Randomized study of intravenous fluid preload before epidural analgesia during labour
S. M. Kinsella, M. Pirlet, M. S. Mills, J. P. Tuckey and T. A. Thomas

314 Prospective evaluation of deep topical fornix nerve block *versus* peribulbar nerve block in patients undergoing cataract surgery using phacoemulsification
E. S. Aziz and A. Samra

CASE REPORTS

317 Implications of a tracheal bronchus for adult anaesthetic practice
I. D. Conacher

320 Sevoflurane and mivacurium in a patient with Huntington's chorea
P. Nagele and A. F. Hammerle

COMMENTARY

322 Experience of a major incident alert at two hospitals: 'The Soho bomb'
K. N. Williams and S. Squires

325 CORRESPONDENCE

334 BOOK REVIEWS

SEPTEMBER

EDITORIALS

341 I: Ethics in publishing: are we practising to the highest possible standards?
J. M. Hunter

344 II: Ropivacaine in children
N. S. Morton

CLINICAL INVESTIGATIONS

347 Pharmacokinetics and clinical efficacy of long-term epidural ropivacaine infusion in children
T. G. Hansen, K. F. Ilett, S. I. Lim, C. Reid, L. P. Hackett and R. Bergesio

354 Is obstructive sleep apnoea a rapid eye movement-predominant phenomenon?
J. A. Loadsman and I. Wilcox

359 Bispectral analysis of the electroencephalogram does not predict responsiveness to verbal command in patients emerging from xenon anaesthesia
T. Goto, Y. Nakata, H. Saito, Y. Ishiguro, Y. Niimi, K. Suwa and S. Morita

364 Intravenous opioids reduce airway irritation during induction of anaesthesia with desflurane in adults
C. F. Kong, S. T. H. Chew and P. C. Ip-Yam

368 Nodal rhythm and bradycardia during inhalation induction with sevoflurane in infants: a comparison of incremental and high-concentration techniques
D. H. Green, P. Townsend, O. Bagshaw and M. A. Stokes

371 Estimation of pulmonary blood flow from sinusoidal gas exchange during anaesthesia: a theoretical study
M. J. Turner, D. Weismann, G. G. Járos and A. B. Baker

379 Left ventricular pressure–area relations as assessed by transoesophageal echocardiographic automated border detection: comparison with conductance catheter technique in cardiac surgical patients
D. Schmidlin, S. Aschkenasy, P. R. Vogt, J. Schmidli, R. Jenni and E. R. Schmid

389 Effects of amrinone on ischaemia–reperfusion injury in cirrhotic patients undergoing hepatectomy: a comparative study with prostaglandin E_1
R. Orii, Y. Sugawara, M. Hayashida, Y. Yamada, K. Chang, T. Takayama, M. Makuuchi and K. Hanaoka

396 Blood propofol concentration and psychomotor effects on driving skills
S. A. Grant, J. Murdoch, K. Millar and G. N. C. Kenny

401 Blood alcohol concentration and psychomotor effects
S. A. Grant, K. Millar and G. N. C. Kenny

407 Continuous propofol anaesthesia for patients with myotonic dystrophy
M. Bennun, B. Goldstein, Y. Finkelstein, R. Jedeikin

410 Resistance of laryngeal mask airway and tracheal tube in mechanically ventilated patients
H. Reissmann, W. Pothmann, B. Füllekrug, R. Dietz and J. Schulte am Esch

417 Influence of different colloids on molecular markers of haemostasis and platelet function in patients undergoing major abdominal surgery
I. Hüttner, J. Boldt, G. Haisch, St. Suttner, B. Kumle and H. Schulz

424 Anaesthesia with propofol decreases FMLP-induced neutrophil respiratory burst but not phagocytosis compared with isoflurane
J. Heine, K. Jaeger, A. Osthaus, N. Weingaertner, S. Münte, S. Piepenbrock and M. Leuwer

LABORATORY INVESTIGATIONS

431 Somatosensory evoked potentials for closed-loop control of anaesthetic depth using propofol in the urethane-anaesthetized rat
A. Angel, R. H. Arnott, D. A. Linkens and C. H. Ting

440 Effects of sevoflurane on hypoxic pulmonary vasoconstriction in anaesthetized piglets
F. Kerbaul, M. Bellezza, C. Guidon, L. Roussel, M. Imbert, J. P. Carpentier and J. P. Auffray

REVIEW ARTICLE

446 Peri-operative management of patients with coagulation disorders
V. J. Martlew

SHORT COMMUNICATIONS

456 Within-breath arterial P_{O_2} oscillations in an experimental model of acute respiratory distress syndrome
E. M. Williams, J. P. Viale, R. M. Hamilton, H. McPeak, L. Sutton and C. E. W. Hahn

460 Spasmolytic effects of prostaglandin E_1 on serotonin-induced bronchoconstriction and pulmonary hypertension in dogs
Y. Hashimoto, K. Hirota, H. Yoshioka, E. Hashiba, T. Kudo, H. Ishihara and A. Matsuki

462 Influence of airway-occluding instruments on airway pressure during jet ventilation for rigid bronchoscopy
P. Biro, M. Layer, H. D. Becker, F. Herth, K. Wiedemann, B. Seifert and D. R. Spahn

465 Transcranial magnetic-evoked potentials under total intravenous anaesthesia and nitrous oxide
M. Sihle-Wissel, M. Scholz and G. Cunitz

468 Motor block during patient-controlled epidural analgesia with ropivacaine or ropivacaine/fentanyl after intrathecal bupivacaine for Caesarean section
D. J. Buggy, N. A. Hall, J. Shah, J. Brown and J. Williams

CASE REPORTS

471 Repetitive synchronized cyclical oscillations of multisystem parameters subsequent to high-dose thiopental therapy for status epilepticus secondary to herpes encephalitis
I. R. Ghosh, R. M. Langford, K. Nieminen, A. Kari and J. Takala

474 Loss of consciousness following spinal anaesthesia for Caesarean section
Y. K. Chan, R. Gopinathan and R. Rajendram

476 Traumatic bilateral internal carotid artery dissection following airbag deployment in a patient with fibromuscular dysplasia
M. A. Duncan, N. Dowd, D. Rawluk and A. J. Cunningham

479 Anaesthetic management of a pregnant patient in a persistent vegetative state
B. T. Ayorinde, I. Scudamore and D. J. Buggy

EQUIPMENT

482 The Reflector: a new method for saving anaesthetic vapours
L. Perhag, P. Reinstrup, R. Thomasson and O. Werner

COMMENTARY

487 Management of massive blood loss: a template guideline
D. Stainsby, S. MacLennan and P. J. Hamilton

492 CORRESPONDENCE

500 BOOK REVIEW

500 ERRATUM

OCTOBER

EDITORIALS

501 I: The utility of pulmonary artery catheterization
D G Swann

504 II: Airway devices: where now and where to?
P Charters

CLINICAL INVESTIGATIONS

506 Ropivacaine pharmacokinetics after caudal block in 1–8 year old children
P A Lönnqvist, P Westrin, B A Larsson, G L Olsson, A Lybeck, G Huledal, M Bielenstein

512 Pharmacokinetics of rectal paracetamol after repeated dosing in children
T W Hahn, S W Henneberg, R J Holm-Knudsen, K Eriksen, S N Rasmussen, M Rasmussen

520 Peripheral lidocaine but not ketamine inhibits capsaicin-induced hyperalgesia in humans
H Gottrup, F W Bach, L Arendt-Nielsen, T S Jensen

529 Remifentanil inhibits muscular more than cutaneous pain in humans
M Curatolo, S Petersen-Felix, A Gerber, L Arendt-Nielsen

533 Comparison of alfentanil, fentanyl and sufentanil for total intravenous anaesthesia with propofol in patients undergoing coronary artery bypass surgery
J Ahonen, K T Olkkola, M Hynynen, T Seppälä, H Ikävalko, B Remmerie, M Salmenperä

541 Clinical comparison of 'single agent' anaesthesia with sevoflurane versus target controlled infusion of propofol
K R Watson, M V Shah

547 A series of thyroplasty cases under general anaesthesia
I Razzaq, W Wooldridge

550 Perioperative blood salvage during surgical correction of craniosynostosis in infants
S Dahmani, G A Orliaguet, P G Meyer, S Blanot, D Renier, P A Carli

556 Publications on paediatric anaesthesia: a quantitative analysis of publication activity and international recognition
A M Brambrink, D Ehrler, W F Dick

563 Gastric mucosal end-tidal PCO_2 difference as a continuous indicator of splanchnic perfusion
A Uusaro, P Lahtinen, I Parviainen, J Takala

LABORATORY INVESTIGATIONS

570 Inhibition of nitric oxide synthesis augments pulmonary oedema in isolated perfused rabbit lung
A L Mundy, K L Dorrington

577 Static versus dynamic respiratory mechanics for setting the ventilator
M Lichtwarck-Aschoff, V Kessler, U H Sjöstrand, A Hedlund, G Mols, S Rubertsson, A M Markström, J Guttmann

587 Morphine tolerance increases [^{3}H]MK-801 binding affinity and constitutive neuronal nitric oxide synthase expression in rat spinal cord
C-S Wong, M-M Hsu, Y-Y Chou, P-L Tao, C-S Tung

592 Determination of succinylcholine in plasma by high-pressure liquid chromatography with electrochemical detection
N I Pitts, D Deftereos, G Mitchell

REVIEW

599 The role of albumin in critical illness
J P Nicholson, M R Wolmarans, G R Park

SHORT COMMUNICATIONS

611 Pulmonary artery catheterization and mortality in critically ill patients
S D Murdoch, A T Cohen, M C Bellamy

615 Fentanyl versus sufentanil: plasma concentrations during continuous epidural postoperative infusion in children
C Lejus, D Schwoerer, I Furic, J-P Le Moing, J-C Levron, M Pinaud

618 Peribulbar anaesthesia with 1% ropivacaine and hyaluronidase 300 IU ml^{-1}: comparison with 0.5% bupivacaine/2% lidocaine and hyaluronidase 50 IU ml^{-1}
D K Woodward, A T S Leung, M W I Tse, R W K Law, D S C Lam, W D Ngan Kee

620 Lack of pre-emptive analgesic effects of local anaesthetics on neuropathic pain
S Abdi, D H Lee, S K Park, J M Chung

623 Comparison of intubating conditions following propofol and succinylcholine with propofol and remifentanil 2 ug kg^{-1} or 4 ug kg^{-1}
I A McNeil, B Culbert, I Russell

CASE REPORTS

626 Two cases of difficult intubation managed by a handmade device
M E Tashayod

628 Use of nitric oxide for decompensated right ventricular failure and circulatory shock after cardiac arrest
R King, M Esmail, S Mahon, J Dingley, S Dwyer

632 Complete recovery of consciousness in a patient with decorticate rigidity following cardiac arrest after thoracic epidural injection
K Taga, M Tomita, I Watanabe, K Sato, K Awamori, H Fujihara, K Shimoji

635 Phaeochromocytoma diagnosed during labour
A N Strachan, P Claydon, J A Caunt

ABSTRACTS

638P Proceedings of the Anaesthetic Research Society Meeting, Oxford Meeting, July 6–7, 2000

656 CORRESPONDENCE

671 BOOK REVIEWS

NOVEMBER

EDITORIAL

675 Postoperative nausea and vomiting – time for balanced antiemesis?
A. M. Heffernan and D. J. Rowbotham

CLINICAL INVESTIGATIONS

678 Randomized, placebo-controlled trial of combination antiemetic prophylaxis for day-case gynaecological laparoscopic surgery
A. B. Ahmed, G. J. Hobbs and J. P. Curran

683 Pharmacokinetics and pulmonary extraction of clevidipine, a new vasodilating ultrashort-acting dihydropyridine, during cardiopulmonary bypass
A. Vuylsteke, Q. Milner, H. Ericsson, D. Mur, J. Dunning, Å. Jolin-Mellgård, M. Nordlander and R. Latimer

690 Intravenous amiodarone or magnesium sulphate is not cost-beneficial prophylaxis for atrial fibrillation after coronary artery bypass surgery
M. M. Treggiari-Venzi, J.-L. Waeber, T. V. Perneger, P. M. Suter, R. Adamec and J.-A. Romand

696 Giving long-persistent starch as volume replacement can cause pruritus after cardiac surgery
P. W. Morgan and J. C. Berridge

700 Reduction in standard MAC and MAC for intubation after clonidine premedication in children
S. Inomata, S. Kihara, Y. Yaguchi, Y. Baba, Y. Kohda and H. Toyooka

705 Effect of tramadol on electroencephalographic and auditory-evoked response variables during light anaesthesia
D. J. A. Vaughan, G. Shinner, C. Thornton and M. D. Brunner

708 Haemorrhage and risk factors associated with retrobulbar/peribulbar block: a prospective study in 1383 patients
H. Kallio, M. Paloheimo and E.-L. Maunuksela

712 Xenon does not induce contracture in human malignant hyperthermia muscle
C. P. Baur, W. Klingler, K. Jurkat-Rott, G. Froeba, E. Schoch, T. Marx, M. Georgieff and F. Lehmann-Horn

717 Urinary, biliary and faecal excretion of rocuronium in humans
J. H. Proost, L. I. Eriksson, R. K. Mirakhur, G. Roest and J. M. K. H. Wierda

724 Rapacuronium 2.0 or 2.5 mg kg^{-1} for rapid sequence induction: comparison with succinylcholine 1.0 mg kg^{-1}
M. Blobner, R. K. Mirakhur, J. M. K. H. Wierda, P. M. C. Wright, K. T. Olkkola, B. Debaene, P. Pendeville, J. Engbæk, H.Rietbergen and H. J. Sparr

732 Duration of exposure to sevoflurane affects dose-response relationship of vecuronium
T. Suzuki, K. Iwasaki, N. Fukano, S. Hariya, S. Saeki and S.Ogawa

735 Gram staining of protected pulmonary specimens in early diagnosis of ventilator-associated pneumonia
O. Mimoz, A. Karim, J. X. Mazoit, A. Edouard, S. Leprince and P. Nordmann

LABORATORY INVESTIGATIONS

740 Interaction of local anaesthetics with recombinant μ, κ, and δ-opioid receptors expressed in Chinese hamster ovary cells
K. Hirota, H. Okawa, B. L. Appadu, D. K. Grandy and D. G. Lambert

747 Intrathecal cyclooxygenase inhibitor administration attentuates morphine antinociceptive tolerance in rats
C.-S. Wong, M.-M. Hsu, R. Chou, Y.-Y. Chou and C.-S. Tung

752 Improvement of lung mechanics by exogenous surfactant: effect of prior application of high positive end-expiratory pressure
A. Hartog, D. Gommers, J. Haitsma and B. Lachmann

757 Halothane and desflurane requirements in alcohol-tolerant and-nontolerant rats
L. L. Firestone, E. R. Korpi, L. Niemi, P. H. Rosenberg, G. E. Homanics and J. J. Quinlan

REVIEW ARTICLE

763 The aged cardiovascular risk patient
H.-J. Priebe

SHORT COMMUNICATIONS

779 A Canadian simulation experience: faculty and student opinions of a performance evaluation study
P. J. Morgan and D. Cleave-Hogg

781 Anaesthetists' attitudes to monitoring instrument design options
T. Nazir and P. C. W. Beatty

785 Effect of remifentanil compared with fentanyl on intraocular pressure after succinylcholine and tracheal intubation
H.-P. Ng, F.-G. Chen, S.-M. Yeong, E. Wong and P. Chew

CASE REPORTS

788 Non-invasive positive pressure ventilation for severe thoracic trauma
M. J. Garfield and R. M. Howard-Griffin

791 Lobectomy for cavitating lung abscess with haemoptysis: strategy for protecting the contralateral lung and also the non-involved lobe of the ipsilateral lung
J. Pfitzner, M. J. Peacock, E. Tsirgiotis and I. H. Walkley

795 Adult epiglottitis: an under-recognised, life-threatening condition
W. A. Ames, V. M. M. Ward, R. M. D. Tranter, M. Street

798 Falsely elevated bispectral index during deep hypothermic circulatory arrest
G. Mychaskiw, B. J. Heath and J. H. Eichhorn

800 Perioperative management of a patient requiring surgery for pituitary apoplexy and severe angina pectoris
H. Kitagawa, K. Takahashi, Y. Hirasaki and T. Ishii

803 CORRESPONDENCE

809 BOOK REVIEWS

810 ERRATUM

DECEMBER

EDITORIALS

811 I. Conflicts of Interest: are they a problem for anaesthesia journals? What should we do about them?
J. R. Sneyd

814 II. Skin testing and the anaesthetist
J. Watkins

CLINICAL INVESTIGATIONS

818 Model-based automatic feedback control versus human control of end-tidal isoflurane concentration using low-flow anaesthesia
T. J. Sieber, C. W. Frei, M. Derighetti, P. Feigenwinter, D. Leibundgut and A. M. Zbinden

826 Ropivacaine 0.2% *versus* bupivacaine 0.1% with fentanyl: a double blind comparison for analgesia during labour
M. Dresner, J. Freeman, C. Calow, A. Quinn and J. Bamber

830 Ropivacaine plasma concentrations during 120-hour epidural infusion
D. Wiedemann, B. Mühlnickel, E. Staroske, W. Neumann and W. Röse

836 Pain management after adenoidectomy with ketoprofen: comparison of rectal and intravenous routes
H. Kokki, H. Tuomilehto and K. Tuovinen

841 Sonographic measurement of needle insertion depth in paravertebral blocks in women
F. Pusch, E. Wildling, W. Klimscha and C. Weinstabl

844 Weal and flare responses to intradermal rocuronium and cisatracurium in humans
J. H. Levy, M. Gottge, F. Szlam, R. Zaffer and C. McCall

850 Pharmacokinetics and dynamics of atracurium infusions after paediatric orthotopic liver transplantation
B. Chow, M. I. Bowden, E. Ho, B. C. Weatherley and J. F. Bion

856 Simultaneous determination of neuromuscular block at the larynx, diaphragm, adductor pollicis, orbicularis oculi and corrugator supercilii muscles
T. M. Hemmerling, J. Schmidt, C. Hanusa, T. Wolf and H. Schmitt

861 Pre-operative oral erythromycin reduces residual gastric volume and acidity
T. Asai, K. Murao and K. Shingu

865 Dexamethasone for prophylaxis of nausea and vomiting after epidural morphine for post-Caesarean section analgesia: comparison of droperidol and saline
J. I. Tzeng, J. J. Wang, S. T. Ho, C. S. Tang, Y. C. Liu and S. C. Lee

LABORATORY INVESTIGATIONS

869 Central cholinergic depletion induced by 192 IgG-Saporin alleviates the sedative effects of propofol in rats
L. Pain, H. Jeltsch, O. Lehmann, C. Lazarus, F. Z. Laalou and J. C. Cassel

874 Inhibitory effects of intravenous anaesthetic agents on K^+ -evoked norepinephrine and dopamine release from rat striatal slices: possible involvement of P/Q-type voltage-sensitive Ca^{2+} channels
K. Hirota, M. Kudo, T. Kudo, A. Matsuki and D. G. Lambert

881 Spinal and supraspinal midazolam potentiates antinociceptive effects of isoflurane
Y. Taira, K. Nakakimura, M. Matsumoto and T. Sakabe

REVIEW ARTICLE

887 Production of human albumin solution: a continually developing colloid
P. Matejtschuk, C. H. Dash and E. W. Gascoigne

SHORT COMMUNICATIONS

896 Increased pre-operative platelet counts are a possible predictor for reduced sensitivity to heparin
A. Vuylsteke, R. J. Mills, A. E. Crosbie, T. I. Burns and R. D. Latimer

898 Prevention of postoperative nausea and vomiting by continuous infusion of subhypnotic propofol in female patients receiving intravenous patient-controlled analgesia
S. I. Kim, T. H. Han, H. Y. Kil, J. S. Lee and S. C. Kim

901 Intravenous anaesthesia and the rat microcirculation: the Dorsal Microcirculatory Chamber
Z. L. S. Brookes, N. J. Brown and C. S. Reilly

904 Serotonergic receptor antagonists alter responses to general anaesthetics in rats
H. C. Dringenberg

907 Sex and oestrous cycle differences in visceromotor responses and vasopressin release in response to colonic distension in male and female rats anaesthetized with halothane
A. Holdcroft, S. Sapsed-Byrne, D. Ma, D. Hammal and M. L. Forsling

CASE REPORTS

911 Survivors of childhood cancers: implications for obstetric anaesthesia
H. Gorton, R. Wilson, A. Robinson and G. Lyons

914 Prolonged vecuronium neuromuscular blockade associated with Charcot Marie Tooth neuropathy
D. Pogson, J. Telfer and S. Wimbush

917 Severe unilateral bronchospasm mimicking inadvertent endobronchial intubation: a complication of the use of a topical lidocaine Laryngojet injector
A. D. Farmery

919 Anaesthesia for Kartagener's syndrome
J. Reidy, S. Sischy and V. Barrow

921 Acute right-to-left inter-atrial shunt; an important cause of profound hypoxia
I. L. Marples, M. J. Heap, S. K. Suvarna and G. H. Mills

926 Air embolism during anaesthesia for shoulder arthroscopy
R. T. Hegde and R. N. Avatgere

HISTORY

928 The inventions of John Blease
A. G. McKenzie

936 CORRESPONDENCE

943 BOOK REVIEWS

947 ERRATA

948 INDEX TO VOLUME 85